



**Redflow Limited**  
**ACN 130 227 271**

**18 October 2021**

## **Redflow Limited to present at Market Eye's ESG Conference**

Redflow Limited (ASX: RFX) advises that CEO and Managing Director, Tim Harris, will be presenting at Market Eye's ESG virtual investment conference on Tuesday, 19 October 2021.

The conference features presentations from eight ESG focused companies. Attendees will have the opportunity to listen to the presentations and participate in the Q&A sessions in a virtual environment. Attendance is free but registration is required.

Details for the event:

- *Date:* Tuesday, 19 October 2021
- *Time:* RFX will be presenting at 1:50pm AEDT
- *Registration:* [https://us02web.zoom.us/webinar/register/WN\\_-cBu01LYQp6fi4eXhQ3yGA](https://us02web.zoom.us/webinar/register/WN_-cBu01LYQp6fi4eXhQ3yGA)

This announcement is authorised for release to the market by the Chairman of the Board of Redflow Limited.

– END –

For further information please contact:

Corporate  
Tim Harris  
07 3376 0008  
[tim.harris@redflow.com](mailto:tim.harris@redflow.com)

Investors  
Ronn Bechler  
03 9591 8901  
[ronn.bechler@marketeye.com.au](mailto:ronn.bechler@marketeye.com.au)

Media  
John Harris  
08 8431 4000  
[john@impress.com.au](mailto:john@impress.com.au)

### **About Redflow [www.redflow.com](http://www.redflow.com)**

Redflow Limited, a publicly-listed Australian company (ASX: RFX), produces small 10kWh zinc-bromine flow batteries that tolerate daily hard work in harsh conditions. Marketed as [ZCell](#) and [ZBM2](#), Redflow batteries are designed for high cycle-rate, long time-base stationary energy storage applications in the residential, commercial & industrial and telecommunications sectors, and are scalable from a single battery installation through to grid-scale deployments. Redflow batteries are sold, installed and maintained by an international network of energy system integrators. Redflow's smart, self-protecting batteries offer unique advantages including secure remote management, 100 per cent daily depth of discharge, tolerance of high ambient temperatures, a simple recycling path, no propensity for thermal runaway and sustained energy delivery throughout their operating life.